


# Rittal – The System.

Faster – better – everywhere.



## RX 9360.104 RiLineX baying set

State: 24.5.2026 (Source: [rittal.com/si-sl](http://rittal.com/si-sl))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# RX 9360.104 - RiLineX baying set za osnovni modul

RiLineX baying set, 3-pole, long variant, for board baying between two bayed VX enclosures (section baying). Variant including contact hazard protection cover, front and rear. The set is supplied without busbar connectors (9365013). These are available as accessories.



## Features

Št. Modela	RX 9360.104
Prednosti	Scalable system lengths with basic modules Enostavna montaža Scalable rated currents thanks to variable busbar cross-sections Tested short-circuit resistance up to 65 kA Suitable for applications up to 1000 V AC and up to 1500 V DC Obsežna ponudba systemske dodatne opreme
Material	Poliamid (PA 6) Protipožarna zaščita v skladu z UL 94
Barva	RAL 35745
Obseg dobave	Board end element, left and right Board module cover Board module base plate Sestavni deli
Število polov	3-pole
Za model št.	9365.013 9360.110 9360.120 9360.150

# Features

Mere	Višina: 240 mm Globina: 77 mm
IP razred zaščite po IEC 60 529	IP 2XB
Paketi	2 pc(s).
Neto teža	1,46 kg
Bruto teža	1,481 kg
PCF na paket (od zibelke do vrat)	8,06
Carinska tarifna številka	85369010
ETIM 9	EC002270
Opis izdelka	RiLineX baying set, 3-pole, long variant, for board baying between two bayed VX enclosures (section baying). Variant including contact hazard protection cover, front and rear. Supply includes one end element left and right plus one base plate, a cover and assembly parts. The set is supplied without busbar connectors. These are available separately.

# Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity PCF-declaration