

Rittal – The System.

Faster – better – everywhere.



RX 9360.104

State: 14.7.2025 (Source: [rittal.com/si-sl](https://www.rittal.com/si-sl))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



RX 9360.104 - for basic module

RiLineX baying set, long variant, for board baying between two bayed VX enclosures (section baying). Variant including contact hazard protection cover, front and rear. The set is supplied without busbar connectors (9365013). These are available as accessories.

Features

Model No.	RX 9360.104
Benefits	Scalable system lengths with basic modules Simple assembly Scalable rated currents thanks to variable busbar cross-sections Tested short-circuit resistance up to 65 kA Suitable for applications up to 1000 V AC and up to 1500 V DC Extensive range of system accessories Contact hazard protection up to IP 2XB, upgradable to IP 4X
Material	Polyamide (PA 6) Fire protection corresponding to UL 94
Colour	RAL 35745
Supply includes	Board end element, left and right Board module cover Board module base plate Assembly parts
To fit Model No.	9365.013
Packs of	2 pc(s).
Net weight	1.46
Gross weight	1.481
Customs tariff number	85369010
EAN	4028177997301
ETIM 9	EC002270

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity