

Rittal – The System.

Faster – better – everywhere.



RX 9360.705 RiLineX component support

State: 6.6.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



RX 9360.705 - RiLineX component support brez kontaktne sistema

RiLineX component support in width 45 mm for RiLineX and 60 mm busbar system platforms, without contact system. Ideal for securing wider equipment onto the board.



Features

Št. Modela	RX 9360.705
Zasnova	brez kontaktne sistema
Prednosti	For mounting equipment for top hat rail installation, e.g. motor starter Simple clip locking for support rails Optional anti-slip guard Coordinated accessories reduce the number of different items required Snap-on mounting and simple adjustment for busbar thickness (5/10 mm)
Material	Poliamid (PA 6) Protipožarna zaščita v skladu z UL 94
Barva	RAL 9005
Za sisteme palic z razmakom med središči	60 mm
Mere	Širina: 45 mm Višina: 239,4 mm Globina: 36,2 mm

Features

Za namestitev zbiralnih sponk	15 x 5/10 20 x 5/10 30 x 5/10
Za namestitev sistema zbiralnih sponk	RiLineX RiLine60
Število polov	3-pole
Količina podpornih tirnic	1
Rated voltage	690 V AC 600 V AC (UL) 600 V DC (UL)
Paketi	4 pc(s).
Neto teža	1,16 kg
Bruto teža	1,2 kg
PCF na paket (od zibelke do vrat)	7,39
Carinska tarifna številka	85369095
ETIM 9	EC001531
Opis izdelka	RiLineX component support in width 45 mm for RiLineX and 60 mm busbar system platforms, without contact system. Ideal for securing wider equipment onto the board.

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity PCF-declaration