

Rittal – The System.

Faster – better – everywhere.



SV 9676.007

Distančník

State: 8.5.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9676.007 - Distančník

Pri uporabi vodil z manjšimi širinami je treba uporabiti distančnike za izravnavo razlik v širini vodila.

Features

Št. Modela	SV 9676.007
Position of the bar system in the functional space	2 1 2
Opomba	Pri širini palice < 60 mm za Flat-PLS 60 ali < 100 mm za Flat-PLS 100 je treba uporabiti distančnike.
Za namestitev sistema zbiralnih sponk	Flat-PLS 60 Flat-PLS 100
Za namestitev zbiralnih sponk	Flat copper busbars Flat copper busbars Flat copper busbars
Za namestitev zbiralnih sponk	Širina: 40, 50, 80 Višina: 10, 10, 10 mm
Paketi	16 pc(s).
Neto teža	0,064 kg
Bruto teža	0,081 kg
Carinska tarifna številka	73269098
ETIM 9	EC001900
ECLASS 8.0	27400613
Opis izdelka	SV Spacer, for busbar support, SV 9676002/004/020/21, for busbar WH: 40/50/80x10 mm

Approvals

Approvals

Approvals

ABS

DNV-GL

Lloyds Register of Shipping