


Rittal – The System.

Faster – better – everywhere.



VX 8100.743

Montážny chassis 23 x 64 mm

State: 25.6.2026 (Source: rittal.com/sk-sk)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8100.743 - Montážny chassis 23 x 64 mm pre VX, VX SE

For variable, individual interior installation of the enclosure frame on the inner mounting level.



Features

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Obj. č. | VX 8100.743 |
| Výhody | Systémové dierovanie na všetkých štyroch stranách Hore a dole s dierovaním pre klietkové matice na upevnenie vlastných komponentov pomocou metrických skrutiek |
| Materiál | Oceľový plech |
| Povrch | Pozinkovaný |
| Rozsah dodávky | 2 montážne chassis 4 montážne držiaky Vrátane upevňovacieho materiálu |
| Možnosti montáže | V skrine VX na vnútornej montážnej rovine na profil skrine VX Vo VX SE na vertikálnom profile skrine v spojení s adaptérovou lištou VX Medzi dve chassis na vnútornej montážnej rovine Ako montážna sada pre prístrojové police |
| Vhodné pre | Typ skrine: VX VX SE Šírka/hĺbka: 800 mm |
| Balenie | 2 pc(s). |

Features

| | |
|-------------------------------|------------------------------------------------|
| Netto hmotnosť | 1,454 kg |
| Brutto hmotnosť | 1,92 kg |
| PCF per pack (cradle-to-gate) | 9,06 |
| Číslo colnej sadzby | 73269098 |
| ETIM 9 | EC002620 |
| ECLASS 8.0 | 27189234 |
| Popis výrobku | Montážne chasis VX 23 x 64 mm, pre š/h: 800 mm |

Approvals

| | |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|