


# Rittal – The System.

Faster – better – everywhere.



## SV 3581.100 Busbars E-Cu

State: 08.04.2026 (Source: [rittal.com/ua-en](http://rittal.com/ua-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3581.100 - Busbars E-Cu

Length: 2400 mm/bar.



## Features

Model No.	SV 3581.100
Material	E-Cu F30
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	15 mm x 10 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	19.35 kg
Gross weight	19.36 kg
Copper weight (kg per piece)	3.23
Customs tariff number	74071000
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

# Features

---

Product description

SV Busbar E-Cu, WH: 15x10 mm, L: 2400 mm

# Approvals

---

Approvals

UL + C-UL (listed)

Explanations

Declaration of conformity

Declaration of conformity UK

# Tender text

Busbar made from E-Cu

Busbars E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 15 x 10 mm

Cross section: 150 qmm

Weight: 1.335 Kg/m

Electrical parameters

IEC: to 360 A

UL 508: 350 A

System:

Rittal RiLine60