


# Rittal – The System.

Faster – better – everywhere.



## VX 8619.550 Swing frame, small

State: 23.05.2026 (Source: [rittal.com/ua-en](http://rittal.com/ua-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8619.550 - Swing frame, small for VX, VX SE, AX, 600 mm and 800 mm wide enclosures

For mounting 482.6 mm (19") equipment.



## Features

|                       |   |
|-----------------------|---|
| Model No.             | VX 8619.550   |
| Product description   | For mounting 482.6 mm (19") equipment.  |
| Material              | Sheet steel   |
| Surface finish        | Zinc-plated   |
| Supply includes       | 2 x 130° hinges<br>Cam with double-bit lock insert<br>Parts for attaching to the installation kit   |
| Note                  | The swing frame stay is required to lock the open swing frame<br>Depending on the mounting situation, punched sections with mounting flanges 23 x 64 mm are required<br>In VX SE, on the enclosure section in conjunction with VX adaptor rail<br>For further installation options, see "Technical details" |
| To fit                | Enclosure type: VX<br>VX SE<br>Width: = 600 mm<br>= 800 mm  |
| To fit enclosure type | VX<br>VX SE   |
| Units                 | 18 U  |

# Features

---

|                       |  |
|-----------------------|--|
| To fit enclosure type | VX<br>VX SE                                    |
| Packs of              | 1 pc(s).                                       |
| Net weight            | 4.15 kg  |
| Gross weight          | 4.74 kg  |
| Customs tariff number | 94039910                                       |
| ETIM 9                | EC002620                                       |
| ECLASS 8.0            | 27189261                                       |
| Product description   | VX Swing frame, small, for W: 600/800 mm, 18 U |