

Rittal – The System.

Faster – better – everywhere.



SV 9661.360 Busbars E-Cu

State: 21.07.2025 (Source: rittal.com/ua-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.360 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

| | |
|------------------------------|---|
| Model No. | SV 9661.360 |
| Product description | Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu. |
| Material | E-Cu |
| Ø hole | 11 mm |
| Dimensions | Length: 565 mm |
| To fit | Width: = 600 mm |
| Cross-section | 10 mm x 30 mm |
| Packs of | 2 pc(s). |
| Net weight | 3.04 |
| Gross weight | 3.08 |
| Copper weight (kg per piece) | 1.52 |
| Customs tariff number | 74071000 |
| EAN | 4028177546844 |
| ETIM 9 | EC000329 |
| ECLASS 8.0 | 27400605 |

Approvals

| | |
|-----------|--------------------|
| Approvals | UL + C-UL (listed) |
|-----------|--------------------|

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK