

# Rittal – The System.

Faster – better – everywhere.



## SV 3580.100 Busbars E-Cu

State: 09/07/2026 (Source: [rittal.com/uae-en](http://rittal.com/uae-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3580.100 - Busbars E-Cu

Length: 2400 mm/bar.



## Features

|                              |  |
|------------------------------|--|
| Model No.                    | SV 3580.100                                |
| Material                     | E-Cu F30                                   |
| Note                         | May be cut individually to required length |
| Standards                    | DIN EN 13 601                              |
| Cross-section                | 12 mm x 10 mm                              |
| Dimensions                   | Length: 2,400 mm                           |
| Packs of                     | 6 pc(s).                                   |
| Net weight                   | 15.48 kg                                   |
| Gross weight                 | 15.5 kg                                    |
| Copper weight (kg per piece) | 2.58                                       |
| Customs tariff number        | 74071000                                   |
| ETIM 9                       | EC001522                                   |
| ETIM 8                       | EC001522                                   |
| ECLASS 8.0                   | 27370303                                   |

# Features

---

Product description

SV Busbar E-Cu, WH: 12x10 mm, L: 2400 mm

# Approvals

---

Approvals

UL + C-UL (listed)

Explanations

Declaration of conformity

Declaration of conformity UK

# Tender text

Busbar made from E-Cu

Busbars E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 12 x 10 mm

Cross section: 120 qmm

Weight: 1.068 Kg/m

Electrical parameters

IEC: to 340 A

UL 508: -

System:

Rittal RiLine60