

Rittal – The System.

Faster – better – everywhere.



VX 5301.244

Side panel, vertically divided

State: 31/01/2026 (Source: ittal.com/uae-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 5301.244 - Side panel, vertically divided for VX IT

Side panels, vertically divided, for VX IT



Features

| | |
|----------------------|---|
| Model No. | VX 5301.244 |
| Benefits | <p>Easy to use</p> <p>Easy to close with snap fasteners</p> <p>Optimum access to all installed components</p> <p>Opening is only possible via internal locking elements, which requires free access via the doors, but significantly increases access security</p> <p>Individual side parts may be completely dismantled at any time without the need for tools</p> |
| Material | Sheet steel |
| Surface finish | Powder-coated |
| Colour | RAL 7035 |
| Supply includes | <p>2 side parts</p> <p>Punched rail</p> <p>6 Hinges</p> <p>4 quick-release fasteners</p> <p>Assembly parts</p> |
| Assembly instruction | Access via the front and rear doors must be guaranteed |
| To fit | <p>Enclosure type: VX IT</p> <p>Height: = 2,200 mm</p> <p>Depth: = 1,000 mm</p> |

Features

| | |
|-------------------------------------|--|
| IP protection category to IEC 60529 | IP 20 |
| Basic material | Sheet steel |
| Packs of | 1 pc(s). |
| Net weight | 30.6 |
| Gross weight | 30.8 |
| PCF per pack (cradle-to-gate) | 117.3 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| EAN | 4028177955851 |
| E-Number Sweden | E7282559 |
| ETIM 9 | EC002524 |
| ECLASS 8.0 | 27182101 |