

**Rittal – The System.**

Faster – better – everywhere.



**DK 7829.200**

**Central earthing point**

State: 22/05/2026 (Source: [rittal.com/uae-en](http://rittal.com/uae-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# DK 7829.200 - Central earthing point

For connecting earth straps and earthing braids to the vertical and horizontal enclosure profile.

## Features

|                               |  |
|-------------------------------|--|
| Model No.                     | DK 7829.200  |
| Product description           | For connecting earth straps, earthing braids to the vertical and horizontal enclosure section. The connection bracket is connected to the enclosure frame with 2 screws and is securely contacted. Earth connection is carried out via the threaded bolt M8 x 20 mm. |
| Material                      | Sheet steel  |
| Surface finish                | Zinc-plated  |
| Supply includes               | 1 connection bracket<br>2 assembly screws<br>1 serrated washer<br>1 nut M8<br>1 contact washer M8<br>1 washer  |
| Packs of                      | 1 pc(s).   |
| Net weight                    | 0.037 kg   |
| Gross weight                  | 0.038 kg   |
| PCF per pack (cradle-to-gate) | 0.1 kg CO2 eq (Cat B)  |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared   |
| Customs tariff number         | 73269098   |
| ETIM 9                        | EC001503   |
| ECLASS 8.0                    | 27149219   |
| Product description           | DK Central earthing point  |

## Tender text

Central earthing point

Central earthing point,

For mounting in a VX, VX IT, TS IT base frame.

Central earthing bolts (M8 x 20 mm) for the domestic earth.

Material: Sheet steel