


# Rittal – The System.

Faster – better – everywhere.



## TS 8609.130 Divider panel for module plates

State: 11/07/2025 (Source: [rittal.com/uae-en](https://rittal.com/uae-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8609.130 - Divider panel for module plates for TS

With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment.



## Features

|                     |  |
|---------------------|--|
| Model No.           | TS 8609.130  |
| Product description | With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment. All-round, double fold for stability and to hold the seal. Thanks to the symmetry of the enclosure frame, divider panels may also be fitted at the rear, dimensions permitting.   |
| Benefits            | More options: The cut-outs of a divider panel are individually equipped with module plates for 16-pole or 24-pole connectors, with module plates for cable entry and with solid module plates.<br>Faster assembly: Usually only some of the total number of connector cut-outs are used. Due to the new divider panel technique, the cut-outs do not need to be covered individually. The solid module plate is used instead. The benefit: Less plates, less screws, less assembly work. |
| Applications        | Notches in the corners and half-way up the sides permit the use of angular baying brackets and baying brackets, even with a divider panel fitted.  |

# Features

|                       |   |
|-----------------------|---|
| Material              | Sheet steel, 2.0 mm   |
| Surface finish        | Zinc-plated   |
| Supply includes       | Assembly parts and multi-tooth screws M5 x 12 mm for mounting the module plates.                    |
| To fit                | Enclosure type: TS<br>Height: = 2,000 mm<br>Depth: = 600 mm   |
| Installation options  | For mounting on the outer mounting level<br>This leaves the inner level free for further population |
| Packs of              | 1 pc(s).  |
| Net weight            | 10.239  |
| Gross weight          | 10.778  |
| Customs tariff number | 94039910  |
| EAN                   | 4028177211759   |
| ETIM 9                | EC002525  |
| ECLASS 8.0            | 27182102  |