
Rittal – The System.

Faster – better – everywhere.





VX 8617.630 Partial mounting plates

State: 24/08/2025 (Source: rittal.com/uae-en)



VX 8617.630 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

Product description To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing platform for a diverse range of applications. Material Sheet steel, 2.5 mm Surface finish Zinc-plated Supply includes Assembly parts Installation options For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind. Note Adaptor rail VX is required for installing in VX SE, PC, IW Dimensions Width: 1,100 mm
Surface finish Zinc-plated Supply includes Assembly parts For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind. Note Adaptor rail VX is required for installing in VX SE, PC, IW
Supply includes Assembly parts For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind. Note Adaptor rail VX is required for installing in VX SE, PC, IW
Installation options For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind. Note Adaptor rail VX is required for installing in VX SE, PC, IW
surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind. Note Adaptor rail VX is required for installing in VX SE, PC, IW
Dimensions Width: 1,100 mm
Depth: 400 mm
To fit Enclosure type: VX VX SE PC Width: = 1,200 mm Depth: = 500 mm
Packs of 1 pc(s).
Net weight 10.564

© Rittal 2025

Features

Gross weight	11.12
PCF per pack (cradle-to-gate)	41.9 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94039910
EAN	4028177919488
ETIM 9	EC000213
ECLASS 8.0	27409216

© Rittal 2025 3