


Faster – better – everywhere.





SV 9683.468 Compartment divider

CLIMATE CONTROL

State: 01/09/2025 (Source: rittal.com/uae-en)

POWER DISTRIBUTION



SOFTWARE & SERVICES

IT INFRASTRUCTURE

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9683.468 - Compartment divider for VX

For the horizontal separation of compartments.

Features

Model No.	SV 9683.468
Design	With louvres
Product description	For the horizontal separation of compartments. In combination with the side panels, this creates Form separation to Form 1 to 4. For attachment to the compartment side panel or the enclosure section The integral cut-outs with pre-punched knock-out option are used for the vertical routing of control lines or cable ducts and for the routing of distribution busbars or connection kits.
Material	Sheet steel, 1.5 mm
Surface finish	Zinc-plated
Supply includes	Assembly parts
Assembly instruction	For assembling compartments as internal Form separation, compartment side panels are required
Dimensions	Width: 511 mm Depth: 780 mm
To fit	Width: = 600 mm Depth: = 800 mm
Packs of	2 pc(s).
Net weight	6.2
Gross weight	7.06
PCF per pack (cradle-to-gate)	25.1 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	73269098
EAN	4028177936379
ETIM 9	EC002525

Features

ECLASS 8.0

27400613

Approvals

Approvals

Lloyds Register of Shipping Declaration of conformity UK

Explanations