

# Rittal – The System.

Faster – better – everywhere.



## AX 2744.010 Operating panel

State: 7/07/2026 (Source: [rittal.com/uk-en](http://rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AX 2744.010 - Operating panel for AX

For external mounting on an AX enclosure instead of a door and on surfaces. Frame construction with internal corner connectors, 3 mm aluminium plate secured from the inside.

## Features

Model No.	AX 2744.010
Product description	For external mounting on an AE enclosure instead of a door and on surfaces. Frame construction with internal corner connectors, 3 mm aluminium plate secured from the inside.
Material	Aluminium, natural anodised
Supply includes	Aluminium frame Display panel Hinges Brackets
Protection category to IEC 60 529	IP 54
To fit Model No.	1009.000 1039.000 1339.000
Note	When installing instead of a door, the cam lock is required
To fit	Enclosure type: AX Width: = 600 mm Height: = 380 mm
Dimensions	Width: 597 mm Height: 377 mm Depth: 36 mm
Dimensions of aluminium plate	Width: 543 mm Height: 323 mm
Area available for population	Width: 527 mm Height: 307 mm
Packs of	1 pc(s).
Net weight	3.131 kg

# Features

---

Gross weight	3.331 kg
Customs tariff number	76169990
ETIM 9	EC000747
ETIM 8	EC000747
ECLASS 8.0	27182204
Product description	FT Operating panel, WHD: 597x377x36 mm, for AE enclosures instead of the door and surfaces

---