

Rittal – The System.

Faster – better – everywhere.



TS 4694.000 Support strip

State: 15/09/2025 (Source: [rittal.com/uk-en](https://www.rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS 4694.000 - Support strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



Features

| | |
|-------------------------------------|--|
| Model No. | TS 4694.000 |
| Product description | For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment. |
| Technical specifications | 4.5 mm diameter hole on a 25 mm pitch pattern |
| Material | Sheet steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly parts |
| Length | 340 mm |
| VX installation options | In enclosure width/depth 400 mm, on the outer mounting level |
| VX SE installation options | In enclosure width/depth 400 mm, on the outer mounting level |
| AX installation options | In door width 400 mm, with cam lock |
| TS installation options | In enclosure width/depth 400 mm, on the outer mounting level |
| TP installation options | In TP pedestal and one-piece console pedestal, in enclosure depth 400 mm, in conjunction with rail for interior installation for TP, compact enclosure HD |
| VX base/plinth installation options | In base/plinth width/depth 400 mm on the base/plinth trim panels, in conjunction with base/plinth installation bracket |

Features

| | |
|-------------------------------|--|
| To fit | Enclosure type: VX TS VX SE TP AX To fit width/depth: 400 mm |
| To fit | Base/plinth system VX |
| Packs of | 20 pc(s). |
| Net weight | 3.2 |
| Gross weight | 3.52 |
| PCF per pack (cradle-to-gate) | 13.5 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number | 73269098 |
| EAN | 4028177108110 |
| E-Number Sweden | E3465250 |
| ETIM 9 | EC002620 |
| ETIM 8 | EC002620 |
| ECLASS 8.0 | 27189261 |