

Rittal – The System.

Faster – better – everywhere.



TS 4695.000 Support strip

State: 9/04/2026 (Source: rittal.com/uk-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS 4695.000 - Support strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



Features

| | |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No. | TS 4695.000 |
| Product description | For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment. |
| Technical specifications | 4.5 mm diameter hole on a 25 mm pitch pattern |
| Material | Sheet steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly parts |
| Length | 440 mm |
| VX installation options | In enclosure depth 500 mm |
| VX SE installation options | In enclosure depth 500 mm, on the outer mounting level |
| AX installation options | In door width 500 mm, with cam lock In door width 500 mm, with 3-point lock system, in the hinged door |
| AX stainless steel installation options | In door width 500 mm, in hinged door, in conjunction with the perforated door strip |
| TS installation options | In enclosure width/depth 500 mm, on the outer mounting level |
| AE installation options | In enclosure width/height 500 mm, in conjunction with rail for interior installation AE |

Features

| | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| TP installation options | In TP pedestal and one-piece console pedestal, in enclosure depth 500 mm, in conjunction with rail for interior installation for TP, compact enclosure HD |
| To fit | Enclosure type: VX TS VX SE TP AX AE Width/depth: 500 mm |
| Packs of | 20 pc(s). |
| Net weight | 4.4 kg |
| Gross weight | 4.603 kg |
| PCF per pack (cradle-to-gate) | 17.5 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ETIM 8 | EC002620 |
| ECLASS 8.0 | 27189261 |
| Product description | TS Support strip, for VX, TS, VX SE, TP, for outer mounting level: for W/D: 500 mm, L: 440 mm |

Approvals

| | |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|