
Rittal – The System.

Faster – better – everywhere.



# CM 5001.370

# Base configuration rail

State: 19/11/2026 (Source: www.rittal.com/uk-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# CM 5001.370 - Base configuration rail for TP

For mounting in the enclosure depth, on the existing threaded bolts, no machining required. System punchings on 2 sides. Creates additional installation options.



## Features

| | |
|---|---|
| Model No. | CM 5001.370 |
| Product description | For mounting in the enclosure depth, on the existing threaded bolts, no machining required. System punchings on 2 sides. Creates additional installation options. |
| Material | Sheet steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly parts |
| To fit | Enclosure type: TP<br>Depth: = 400 mm |
| Packs of | 2 pc(s). |
| Net weight | 1 kg |
| Gross weight | 1.075 kg |
| PCF per pack (cradle-to-gate) | 4.1 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002625 |
| ETIM 8 | EC002625 |

# Features

| | |
|---|---|
| ECLASS 8.0 | 27189234 |
| Product description | CM Base configuration rail, for TP, for D: 400 mm |