


Faster – better – everywhere.





DK 7116.500 Fibre-optic shunting rings

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 24/08/2025 (Source: rittal.com/uk-en)



IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

DK 7116.500 - Fibre-optic shunting rings

The inner body is grooved, for the insertion of shunting or jumper cables into these, a rubber ring holds different fibre-optic cables with diameters of up to 4.5 mm.



Features

| Model No. | DK 7116.500 |
|---------------------|--|
| Product description | Fibre-optic shunting or jumper cables can be inserted into the grooves of the inner body. A rubber ring holds different fibre-optic cables up to Ø 4.5 mm. Strain relief and bending radius are ensured. |
| Function principle | The supplied mounting brackets are suitable for universal use. The fibre-optic cables can be routed to the patch panel in all directions in various mounting positions: at the side, directly on the patch panel, in front of the patch panel, at the side next to the patch panel and behind the patch panel. |
| Material | Dual compound plastic |
| Colour | Exterior: RAL 7035 Interior: RAL 9005 |
| Supply includes | 2 shunting rings 2 rubber rings Baying kit Assembly parts |

Features

| Dimensions | Length: 120 mm |
|-----------------------|----------------|
| Packs of | 2 pc(s). |
| Net weight | 0.48 |
| Gross weight | 0.488 |
| Customs tariff number | 73269098 |
| EAN | 4028177125025 |
| ETIM 9 | EC000322 |
| ECLASS 8.0 | 27400604 |

Tender text

Fibre-optic cable shunting ring

Surface: Outside in RAL 7035, black inner body