Rittal – The System.

Faster – better – everywhere.



# VX 8617.540

# Partial mounting plates

State: 19/11/2026 (Source: www.rittal.com/uk-en)

# VX 8617.540 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.



## Features

| | |
|---|---|
| Model No. | VX 8617.540 |
| Product description | To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications. |
| Material | Sheet steel, 2.5 mm |
| Surface finish | Zinc-plated |
| Supply includes | Assembly parts |
| To fit door width | 600 mm |
| Installation options | For optional installation either upright as a vertical mounting surface, or flat as a horizontal base.<br>Attach directly onto the enclosure section<br>With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure<br>For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow rapid access to the levels behind. |
| Note | Adaptor rail VX is required for installing in VX SE, PC, IW |
| Dimensions | Width: 500 mm<br>Depth: 700 mm |

# Features

| | |
|---|---|
| To fit enclosure type | VX<br>VX SE<br>PC |
| To fit | Enclosure type: VX<br>VX SE<br>PC<br>Width: = 600 mm<br>= 800 mm<br>Depth: = 600 mm<br>= 800 mm |
| Packs of | 1 pc(s). |
| Net weight | 8.82 kg |
| Gross weight | 9.22 kg |
| PCF per pack (cradle-to-gate) | 35.1 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number | 94039910 |
| ETIM 9 | EC000213 |
| ECLASS 8.0 | 27409216 |
| Product description | VX Partial mounting plate, dimensions: 500x700 mm |

# Approvals

| | |
|---|---|
| Explanations | PCF-declaration |