

Faster – better – everywhere.





CLIMATE CONTROL



State: 22/06/2025 (Source: rittal.com/uk-en)

POWER DISTRIBUTION

RITTAL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

## VX 8618.201 - Comfort handle VX for VX, VX IT

Thanks to its folding action, the handle does not take up any swing space, thus maximising the door surface area available for installed equipment. Simple assembly, thanks to the snap-mounted handle system.

## Features

Model No.	VX 8618.201
Design	for lock inserts
Benefits	As the handle does not take up any swing space, due to its folding action, the door surface area may be maximised for installed equipment Simple assembly, thanks to the snap-mounted handle system
Material	Die-cast zinc
Colour	RAL 9005
Lock	Lock version: Prepared for lock inserts, type G or lock and push- button inserts with a length up to 26.5 mm
To fit enclosure type	VX VX IT
Type rating to UL 50E	Туре 1 Туре 12
Packs of	1 pc(s).
Net weight	0.55
Gross weight	0.659
Customs tariff number	83024110
EAN	4028177924598
ETIM 9	EC000327
ECLASS 8.0	27409217



Approvals

UL + C-UL - FTTA