
Rittal – The System.

Faster – better – everywhere.



# VX 8619.720

# Punched section with mounting flange, 14 x 39 mm


State: 19/11/2026 (Source: www.rittal.com/uk-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES


FRIEDHELM LOH GROUP

# VX 8619.720 - Punched section with mounting flange, 14 x 39 mm for VX, VX SE, PC, IW, AX

For securing cable ducts, cable conduit holders, equipment installed on the door, etc.







## Features

| | |
|---|---|
| Model No. | VX 8619.720 |
| Product description | For attaching cable ducts, cable conduit holders, equipment installed on the door, etc. |
| Material | Sheet steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly parts |
| Distance between fixing points | 475 mm |
| To fit door width | 600 mm |
| VX installation options | In door width 600 mm |
| VX SE installation options | In door width 600 mm |
| AX installation options | In enclosure width 500 mm and in enclosure height 600 mm, in conjunction with rail for interior installation AX<br>In enclosure width 1200 mm, in lockable door |
| AX stainless steel installation options | In enclosure height 600 mm |
| Installation options, AX plastic | In door width 600 mm |

© Rittal 2026

# Features

| | |
|---|---|
| Installation options for 3-part AX | In the enclosure depth 673 mm or in the width of the wall section |
| PC installation options | In door width 600 mm |
| CX installation options | In door width 600 mm |
| Assembly instruction | For installation in AX sheet steel, only in conjunction with rail for interior installation AX |
| Note | For installing your own components on the punched section with mounting flange, metal screws or self-tapping M5 screws are required |
| To fit | Enclosure type: VX<br>VX SE<br>PC<br>AX<br>AX wall-mounted enclosure, 3-part<br>CX one-piece console<br>CX pedestal<br>Suitable for width or height or depth: 600 mm |
| Packs of | 4 pc(s). |
| Net weight | 0.956 kg |
| Gross weight | 1.14 kg |
| PCF per pack (cradle-to-gate) | 7.78 |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ECLASS 8.0 | 27189234 |
| Product description | VX Punched section, with mounting flange 14 x 39 mm, for door width: 600 mm |

# Approvals

| | |
|---|---|
| Explanations | PCF-declaration |