

Faster – better – everywhere.





# SV 9393.232 Current measurement module

State: 11/08/2025 (Source: rittal.com/uk-en)



### SV 9393.232 - Current measurement module

To extend the modular network analyser REM 801 with 8 additional current measurement channels.

#### Features

| Model No.   | SV 9393.232  |
|---|--|
| Design  | REM 800-CT-8-LP<br>null  |
| Product description   | To extend the modular network analyser REM 801 to a maximum of<br>92 current measuring channels or for connecting remote system<br>parts etc. Up to 10 extension modules, such as current<br>measurement modules with a maximum bus length of 100 m, may<br>be connected via the internal bus or the bus connection modules. |
| Operating temperature range   | -10 °C55 °C  |
| Storage temperature range   | -25 °C70 °C  |
| Ambient humidity (non-<br>condensing)   | 595 %  |
| IP protection category to IEC 60<br>529                                       | IP 20  |
| For mounting on support rails   | Yes  |
| Current measurement inputs  | 8 (2x4)<br>2 systems – L1, L2, L3, N<br>Individual channels  |
| Measurement by way of low-power<br>current transformer (secondary<br>voltage) | 00.4 V   |
| Fundamental frequency   | 4070 Hz  |
| Harmonic  | 115  |
| Packs of  | 1 pc(s).   |
| Net weight  | 0.29   |
| Gross weight  | 0.295  |
|   |  |

#### Features

| Customs tariff number | 85389099      |
|-----------------------|---------------|
| EAN                   | 4028177985032 |
|                       |               |

## Approvals

Explanations

Declaration of conformity