

# Rittal – The System.

Faster – better – everywhere.



## KX 1301.000

## E-box KX

State: 6/4/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1301.000 - E-box KX Stainless steel

The E-Box KX, stainless steel offers remarkable ease of assembly and flexibility when selecting lock systems. The standard 180° hinges provide easy access to the enclosure interior.



## Features

|                                    |   |
|------------------------------------|---|
| Model No.                          | KX 1301.000   |
| Product description                | The small enclosure KX, E-Box KX, stainless steel offers remarkable ease of assembly and flexibility when selecting lock systems. The standard 180° hinges provide easy access to the enclosure interior. |
| Material                           | Housing: Stainless steel<br>Door: Stainless steel, all-round foamed-in PU seal<br>Mounting plate: Carbon steel<br>Stainless steel 1.4404 (AISI 316L)  |
| Surface finish                     | Housing and cover: Brushed, grain 180<br>Mounting panel: Zinc-plated  |
| Supply includes                    | Mounting panel<br>Cam lock with 3 mm double-bit insert  |
| Protection category IP to EN 60529 | IP 66   |
| Type rating according to UL 50E    | Type 1<br>Type 3R<br>Type 3RX<br>Type 4<br>Type 4X<br>Type 12   |

# Features

---

|                                      |  |
|--------------------------------------|--|
| Dimensions                           | Width: 200 mm<br>Height: 300 mm<br>Depth: 155 mm<br>Width: 7.87 "<br>Height: 11.8 "<br>Depth: 6.1 "    |
| Dimensions of mounting plate (W x H) | 175 mm x 285 mm<br>6.89 " x 11.2 "   |
| Material thickness - enclosure       | 1.25 mm<br>0.05 "  |
| Material thickness - door            | 1.25 mm<br>0.05 "  |
| Lock                                 | No. of locks: 1<br>Material lock: Stainless steel 1.4404 (AISI 316L)                                   |
| Base material                        | Stainless steel 1.4404 (AISI 316L)   |
| Packaging unit                       | 1 pc(s).   |
| Net weight                           | 3.88 kg  |
| Gross weight                         | 3.889 kg   |
| PCF/VE (cradle-to-gate)              | 13.5   |
| Customs tariff number                | 84879059   |
| ETIM 9                               | EC000261   |
| ETIM 8                               | EC000261   |
| ECLASS 8.0                           | 27180101   |
| Product description                  | KX E-Box, WHD: 200x300x155 mm, stainless steel 1.4401, with mounting plate, single-door, with cam lock |

---

# Approvals

# Approvals

---

Approvals

Bureau Veritas  
DNV  
Lloyds Register  
UL + C-UL (listed)

---

Explanations

Declaration of conformity  
PCF-declaration