Rittal - The System.

Faster – better – everywhere.





KX 1515.000

KX terminal box, carbon steel, without flange


State: 8/9/2025 (Source: rittal.com/us-en)



KX 1515.000 - KX terminal box, carbon steel, without flange

The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.







Features

Model No.	KX 1515.000
Product description	The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.
Material	Housing: Carbon steel Cover: Carbon steel, all-round foamed-in PU seal
Surface finish	Housing and cover: Dipcoat primed, powder-coated on the outside, textured paint
Color	RAL 7035
Supply includes	Housing with cover Mini cam lock
Protection category NEMA	NEMA 1 NEMA 3R NEMA 4 NEMA 12
Protection category IP to EN 60 529	IP 66

© Rittal 2025

Features

Type rating according to UL 50E	Type 1
	Type 3R
	Type 4
	Type 12
IK code	IK08
Dimensions	Width: 300 mm
	Height: 150 mm
	Depth: 80 mm
	Width: 11.8 "
	Height: 5.91 "
	Depth: 3.15 "
Material thickness - cover	1.25 mm
	0.05 ″
Material thickness - enclosure	1.25 mm
	0.05 ″
Base material	Carbon steel
Packaging unit	1 pc(s).
Net weight	1.78
Gross weight	1.98
PCF/VE (cradle-to-gate)	9.2 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	84879090
EAN	4028177816299
E-Number Sweden	E3465195
ETIM 9	EC000261
ETIM 8	EC000261
ECLASS 8.0	27180101

© Rittal 2025 3

Approvals

Approvals	Bureau Veritas
	DNV-GL
	Lloyds Register of Shipping
	UL + C-UL (listed)
Certificates	Protection category
Explanations	Manufacturer's declaration
	Declaration of conformity
	Declaration of conformity UK
	PCF-declaration

© Rittal 2025