

Rittal – The System.

Faster – better – everywhere.



KX 1536.000

KX terminal box, carbon steel with flange

State: 8/23/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



KX 1536.000 - KX terminal box, carbon steel with flange

The small enclosure KX, terminal box KX, with a gland plate allows for flexible interior installation and simple cable entry with optimum use of space.



Features

| | |
|-------------------------------------|---|
| Model No. | KX 1536.000 |
| Material | Housing: Carbon steel Cover: Carbon steel, all-round foamed-in PU seal |
| Surface finish | Housing and cover: Dipcoat primed, powder-coated on the outside, textured paint |
| Color | RAL 7035 |
| Supply includes | Housing with cover Mini-fasteners Carbon steel flange plates with seals and assembly components |
| Protection category NEMA | NEMA 1 NEMA 12 |
| Protection category IP to EN 60 529 | IP 55 |
| Type rating according to UL 50E | Type 1 Type 12 |
| IK code | IK08 |

Features

| | |
|-------------------------------------|--|
| Dimensions | Width: 400 mm Height: 300 mm Depth: 120 mm Width: 15.7 " Height: 11.8 " Depth: 4.72 " |
| Material thickness - cover | 1.25 mm 0.05 " |
| Material thickness - enclosure | 1.25 mm 0.05 " |
| Flange Plates | : 1 + 1 : 1 + 1 |
| Base material | Carbon steel |
| Packaging unit | 1 pc(s). |
| Net weight | 4.95 |
| Gross weight | 5.16 |
| PCF/VE (cradle-to-gate) | 21.4 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 84879090 |
| EAN | 4028177816411 |
| E-Number Sweden | E3465207 |
| ETIM 9 | EC000261 |
| ETIM 8 | EC000261 |
| ECLASS 8.0 | 27180101 |

Approvals

Approvals

Approvals

Bureau Veritas
DNV-GL
Lloyds Register of Shipping
UL + C-UL (listed)

Certificates

Protection category

Explanations

Declaration of conformity
Declaration of conformity UK
PCF-declaration