Rittal – The System.

Faster – better – everywhere.




# KX 1564.000

# KX terminal box

State: 11/4/2026 (Source: www.rittal.com/us-en)

# KX 1564.000 - KX terminal box Stainless steel

The KX small enclosure stainless steel offers maximum data quality and consistency in engineering, flexibility, and safety for a variety of applications.


## Features

| | |
|---|---|
| Model No. | KX 1564.000 |
| Product description | System perfection. The new small enclosure KX, stainless steel offers maximum data quality and consistency in engineering, flexibility, and safety for a variety of applications. |
| Material | Housing: Stainless steel 1.4301 (AISI 304)<br>Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal |
| Surface finish | Housing and cover: Brushed, grain 180 |
| Supply includes | Housing with cover<br>Quick-release fasteners including plastic bushings |
| Dimensions | Width: 150 mm<br>Height: 150 mm<br>Depth: 120 mm<br>Width: 5.91 ″<br>Height: 5.91 ″<br>Depth: 4.72 ″ |
| Protection category IP to EN 60 529 | IP 66 |
| Protection category NEMA | NEMA 1<br>NEMA 3R<br>NEMA 3RX<br>NEMA 4<br>NEMA 4X<br>NEMA 12 |

© Rittal 2026

# Features

| | |
|---|---|
| Type rating according to 508A | Type 1<br>Type 3R<br>Type 3RX<br>Type 4<br>Type 4X<br>Type 12 |
| Material thickness - cover | 1.25 mm<br>0.05 ″ |
| Material thickness - enclosure | 1.25 mm<br>0.05 ″ |
| Lock | No. of locks: 4 |
| Base material | Stainless steel 1.4301 (AISI 304) |
| Packaging unit | 1 pc(s). |
| Net weight | 1.47 kg |
| Gross weight | 1.48 kg |
| PCF/VE (cradle-to-gate) | 6.74 |
| Customs tariff number | 84879059 |
| ETIM 9 | EC000261 |
| ETIM 8 | EC000261 |
| ECLASS 8.0 | 27180101 |
| Product description | KX Terminal box, WHD: 150x150x120 mm, stainless steel 1.4301, without mounting plate, with cover, with quick-release fasteners |

# Approvals

| | |
|---|---|
| Approvals | Bureau Veritas<br>DNV<br>Lloyds Register<br>UL + C-UL (listed) |
| Explanations | Declaration of conformity<br>PCF-declaration |