Rittal – The System.

Faster – better – everywhere.




# KX 1576.000

# E-box KX, carbon steel

State: 11/29/2026 (Source: www.rittal.com/us-en)

# KX 1576.000 - E-box KX, carbon steel

The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems.





## Features

| | |
|---|---|
| Model No. | KX 1576.000 |
| Product description | The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems. |
| Material | Housing: Carbon steel<br>Door: Carbon steel, all-round foamed-in PU seal |
| Surface finish | Housing and door: Dipcoat primed, powder-coated on the outside, textured paint<br>Mounting panel: Zinc-plated |
| Color | RAL 7035 |
| Supply includes | Housing with door<br>Mounting panel<br>Cam lock with 3 mm double-bit insert<br>180° hinge |
| Dimensions | Width: 380 mm<br>Height: 300 mm<br>Depth: 155 mm<br>Width: 15 ″<br>Height: 11.8 ″<br>Depth: 6.1 ″ |

© Rittal 2026

# Features

| | |
|---|---|
| Dimensions of mounting plate (W x H) | 365 mm x 275 mm<br>14.4 ″ x 10.8 ″ |
| Protection category IP to EN 60 529 | IP 66 |
| Protection category NEMA | NEMA 1<br>NEMA 3R<br>NEMA 4<br>NEMA 12 |
| Type rating according to 508A | Type 1<br>Type 3R<br>Type 4<br>Type 12 |
| IK code | IK08 |
| Material thickness - enclosure | 1.25 mm<br>0.05 ″ |
| Material thickness - door | 1.25 mm<br>0.05 ″ |
| Material thickness – mounting plate | 2 mm<br>0.08 ″ |
| Lock | No. of locks: 1 |
| Base material | Carbon steel |
| Packaging unit | 1 pc(s). |
| Net weight | 6.6 kg |
| Gross weight | 6.635 kg |
| PCF/VE (cradle-to-gate) | 39.42 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 84879059 |
| ETIM 9 | EC000261 |
| ETIM 8 | EC000261 |
| ECLASS 8.0 | 27180101 |

# Features

| | |
|---|---|
| Product description | KX E-Box, WHD: 380x300x155 mm, sheet steel, with mounting plate, with door |

# Approvals

| | |
|---|---|
| Approvals | Bureau Veritas<br>DNV<br>Lloyds Register<br>UL + C-UL (listed) |
| Certificates | Protection category |
| Explanations | Manufacturer's declaration<br>Declaration of conformity<br>Declaration of conformity UK<br>PCF-declaration |