

Rittal – The System.

Faster – better – everywhere.



AX 2394.100

Base configuration rail

State: 8/13/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AX 2394.100 - Base configuration rail for AX

Rail for flexible interior configuration of AX compact enclosures in combination with the new AX rail for interior installation. For mounting e.g. VX system chassis with mounting flange 23 x 64 mm, LED system lights, VX cable clamp rails and support rails.



Features

| | |
|-------------------------------------|--|
| Model No. | AX 2394.100 |
| Product description | For mounting in the enclosure depth, on the existing threaded bolts, no machining required. System punchings on 2 sides. Provides additional mounting options. |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Length | 99 mm 3.9 " |
| Installation options | For installation in AX carbon steel, only in conjunction with rails interior installation AX |
| Suitable for | Enclosure type: AX |
| Packaging unit | 4 pc(s). |
| Net weight | 0.4 |
| Gross weight | 0.451 |
| PCF/VE (cradle-to-gate) | 1.6 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |

Features

| | |
|------------|---------------|
| EAN | 4028177965737 |
| ETIM 9 | EC002620 |
| ETIM 8 | EC002620 |
| ECLASS 8.0 | 27189234 |