

Rittal – The System.

Faster – better – everywhere.



FT 2740.000 Operating panel

State: 5/22/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



FT 2740.000 - Operating panel for AE/WM

Mounted on AE enclosures instead of door and on surfaces. Frame structure with internal corner connectors, 3 mm aluminum plate secured from the inside and sealed against the frame.



Features

| | |
|------------------------------------|--|
| Model No. | FT 2740.000 |
| Product description | Can be used as a door on AE enclosures or mounted on enclosures with sufficient surface area. Frame structure with internal corner connectors, 3 mm aluminum plate secured from the inside and sealed against the frame. |
| Material | Aluminum, natural anodized |
| Supply includes | Aluminum frame Display panel Hinges Brackets |
| Protection category IP to EN 60529 | IP 54 |
| Note | During installation, the cam lock is required in place of the door |
| Suitable for | Enclosure type: AE Width: = 200 mm Height: = 300 mm Enclosure type: AE Width: = 7.87 " Height: = 11.8 " |

Features

| | |
|-------------------------------|---|
| Dimensions | Width: 197 mm Height: 297 mm Depth: 34 mm Width: 7.76 " Height: 11.7 " Depth: 1.34 " |
| Dimensions of aluminium plate | Width: 143 mm Height: 243 mm Width: 5.63 " Height: 9.57 " |
| Area available for population | Width: 127 mm Height: 227 mm Width: 5 " Height: 8.94 " |
| Note on Model No.: | With AE, only for use on the rear panel |
| Packaging unit | 1 pc(s). |
| Net weight | 1.237 kg |
| Gross weight | 1.42 kg |
| Customs tariff number | 76169990 |
| ETIM 9 | EC000747 |
| ETIM 8 | EC000747 |
| ECLASS 8.0 | 27182204 |
| Product description | FT Operating panel, WHD: 197x297x34 mm, for WH: 200x300 mm |
