

# Rittal – The System.

Faster – better – everywhere.



## SK 3124.310 Blue e IoT Adapter

State: 7/29/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3124.310 - Blue e IoT Adapter

In conjunction with the IoT interface (3124.300), the adapter enables the intelligent networking of the Blue e cooling units.

## Features

Model No.	SK 3124.310
Product description	In conjunction with the IoT interface, the adapter supports the intelligent networking of the Blue e cooling units.
Benefits	<p>Digitization and networking offer great opportunities for every company. In conjunction with IoT interface (3124.300), the connection of Blue e Series cooling units to Industry 4.0 environments can be easily implemented without interfering with the automation logic.</p> <p>Plug and play: The IoT interface is quickly and conveniently configured and commissioned via the integral Web server, no programming required.</p> <p>Condition monitoring for up to 10 cooling units in master/slave combination</p>
Material	<p>Plastic</p> <p>Front: Smooth</p> <p>Housing: Textured</p>
Color	<p>Front: RAL 9005</p> <p>Housing: RAL 7035</p>
Supply includes	<p>Blue e IoT Adapter</p> <p>Installation and Short User's Guide</p> <p>Mounting Bracket</p> <p>Mounting accessories</p> <p>Sub-D on RJ11 connecting cables, length 150 mm</p> <p>Mounting clips for securing top-hat rails</p>
Interfaces	<p>1 x Modbus RTU</p> <p>1 x cooling unit interface</p>

# Features

Suitable for Model No.	3303.5/6xx 3304.5/6xx 3305.5/6xx 3328.5/6xx 3329.5/6xx 3332.5/6xx 3361.5/6xx 3366.5/6xx 3377.5/6xx 3307.7xx 3310.7xx 3382.5/6xx 3359.5/6xx 3383.5/6xx 3273.500 3384.5/6xx 3385.5/6xx 3386.5/6xx 3387.5/6xx 9776.550
Dimensions	Width: 80 mm Height: 30 mm Depth: 40 mm Width: 3.15 " Height: 1.18 " Depth: 1.57 "
Operating temperature range	0 °C...55 °C 32 °F...131 °F
Protection category IP to IEC 60529	IP 30
Packaging unit	1 pc(s).
Net weight	0.18
Gross weight	0.2
Customs tariff number	85234920
EAN	4028177939059
ETIM 9	EC001099

# Features

ETIM 8	EC001099
ECLASS 8.0	27143136

# Approvals

Certificates	EAC
Explanations	Declaration of conformity