

Faster – better – everywhere.



## SK 3201.850 Modular climate control concept – climate control door VX25

TI INFRASTRUCTURE SOFTWARE & SERVICES

State: 8/28/2025 (Source: rittal.com/us-en)

POWER DISTRIBUTION SCIENCE CONTROL



FRIEDHELM LOH GROUP

ENCLOSURES

## SK 3201.850 - Modular climate control concept – climate control door VX25 for installing cooling modules

Carbon steel climate control doors for the installation of air conditioning modules of types SK 3307.7XX to 3310.7XX.

## Features

Model No.	SK 3201.850	
Product description	Carbon steel climate control doors for the installation of air conditioning modules of types SK 3307.7XX to 3310.7XX. The climate control doors fit perfectly with the overall design of the enclosure.	
Material	Carbon steel	
Color	RAL 7035	
Supply includes	Climate control door without preconfigured cooling module 180° hinges, door opening angle approx. 130°	
Note on Model No.:	Suitable for VX enclosures For 1200mm wide VX enclosures, the existing hinged door may b used, irrespective of the device position (left or right) Door hinged on left	
Suitable for	Device positioned on the left	
Suitable for	Enclosure type: VX: = 600 mm: = 2,000 mm Enclosure type: = 1,200 mm Enclosure type: VX: = 23.6 <sup>~</sup> : = 78.7 <sup>~</sup> Enclosure type: = 47.2 <sup>~</sup>	
Packaging unit	1 pc(s).	
Net weight	29.4	
Gross weight	30.6	
Customs tariff number	94039910	
EAN	4028177925687	
ETIM 9	EC002510	

## Features

ETIM 8	EC002510	
ECLASS 8.0	27180702	
Approvals		
Certificates	EAC	
Explanations	Declaration of conformity - F-gas regulation	

© Rittal 2025