

Rittal – The System.

Faster – better – everywhere.



SK 3213.360

Air diverter

State: 7/8/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3213.360 - Air diverter

Targeted cold air routing to avoid heat pockets. Especially well-suited for densely-packed electrical components in the enclosure.



Features

| | |
|------------------------|---|
| Model No. | SK 3213.360 |
| Product description | For use with wall-mounted cooling units, for targeted air routing of the cold air in a downward direction. Especially well-suited for densely-packed electrical components in the lower section of the enclosure. |
| Benefits | Individual adjustment of the air outlet direction Simple, tool-free assembly Quickly retrofittable (without drilling) Minimum installation depth |
| Material | ABS Fire protection corresponding to UL 94-V0 |
| Color | RAL 7035 |
| Suitable for | Wall-mounted cooling unit Blue e+ |
| Note on Model No.: | Not suitable for wall-mounted cooling unit Blue e+ Outdoor |
| Suitable for Model No. | 3184.xx0 / 3484.xx0 3186.93x / 3486.93x 3186.630 / 3486.630 3187.93x / 3487.93x 3187.630 / 3487.630 |

Features

| | |
|-----------------------|---|
| Dimensions | Width: 330 mm Height: 330 mm Depth: 30 mm Width: 13 " Height: 13 " Depth: 1.18 " |
| Packaging unit | 1 pc(s). |
| Net weight | 0.6 kg |
| Gross weight | 0.64 kg |
| Customs tariff number | 39269097 |
| ETIM 9 | EC011604 |
| ETIM 8 | EC011604 |
| ECLASS 8.0 | 22410601 |
| Product description | SK Air diverter, for SK 3184.xx0/3484.xx0, 3186.93x/3486.93x, 3186.630/3486.630, 3187.93x/3487.93x, 3187.630/3487.630 |