

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

# SK 3235.610 Pre-fuse

State: 8/4/2025 (Source: rittal.com/us-en)

POWER DISTRIBUTION >> CLIMATE CONTROL



FRIEDHELM LOH GROUP

ENCLOSURES

## SK 3235.610 - Pre-fuse for Blue e+ cooling units/chillers

Miniature circuit breaker and power switch for protection of the equipment connection line for Blue e+ series cooling units and chillers. The Blue e+ cooling units/chillers are intrinsically safe and do not require additional external safety devices for safe operation.

#### Features

Model No.	SK 3235.610
Product description	The circuit breaker is required to protect the device connecting cable (IEC applications).
Note	For detailed technical product information, please refer to the data sheet under the Downloads tab.
Dimensions	Width: 45 mm
	Height: 97 mm
	Depth: 97 mm
	Width: 1.77 ″
	Height: 3.82 "
	Depth: 3.82 "
Protection category IP to EN 60 529	IP 20
Operating temperature range	-20 °C60 °C
	-4 °F140 °F
Storage temperature range	-50 °C80 °C
	-58 °F176 °F
Suitable for Model No.	3178.80x
	3179.80x
	3184.8xx
	3185.xxx
	3186.xxx
	3187.xxx
	3188.xxx
	3189.xxx
	3320.200
	3334.xx0
	3319.100

### Features

Number of poles	3-pole
For NH size	0
Customs tariff number	85365019
EAN	4028177971080
ETIM 9	EC000074
ETIM 8	EC000074
ECLASS 8.0	27370401

# Approvals

Certificates	EAC
Explanations	Declaration of conformity
	Declaration of conformity UK