

Rittal – The System.

Faster – better – everywhere.



SK 3237.400 Blue e+ outlet filter

State: 4/13/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3237.400 - Blue e+ outlet filter EMC

The outlet filter is used in conjunction with the associated filter fan to dissipate lost heat out of the enclosures, to ventilate the enclosure and to protect temperature-sensitive components. This is done via the direct supply of ambient air that must be below the permissible temperature inside the enclosure.



Features

| | |
|------------------------|---|
| Model No. | SK 3237.400 |
| Version | wall-mounted EMC |
| Benefits | Easy filter change thanks to a new opening mechanism on the louvre grille Faster assembly on the enclosure due to optimized snap hooks Tool-free mounting |
| Color | RAL 7035 |
| Supply includes | Outlet Filters EMC Filter Mat |
| Mounting cut-out | Width of opening: 92 mm Cut-out height: 92 mm Width of opening: 3.62 " Cut-out height: 3.62 " |
| Suitable for Model No. | SK 3237.8xx |

Features

| | |
|-------------------------------------|---|
| Dimensions | Width: 116.5 mm Height: 116.5 mm Depth: 33.2 mm Width: 4.59 " Height: 4.59 " Depth: 1.31 " |
| Protection category NEMA | Type 12 with fleece filter Type 3, 3R with fleece filter and hose-proof hood |
| Protection category IP to IEC 60529 | IP 54 with fleece filter IP 56 with fleece filter and hose-proof hood |
| Packaging unit | 1 pc(s). |
| Net weight | 0.075 kg |
| Gross weight | 0.154 kg |
| Customs tariff number | 39269097 |
| ETIM 9 | EC002513 |
| ETIM 8 | EC002513 |
| ECLASS 8.0 | 27180706 |
| Product description | SK Blue e+ outlet filter, EMC, for filter fan 3237.8xx, BH 116.5 x 116.5 mm, RAL 7035 |

Approvals

| | |
|-----------|--|
| Approvals | UL + C-UL - FTTA UR + C-UR (recognized) |
|-----------|--|