

# Rittal – The System.

Faster – better – everywhere.



## SK 3285.700 Pleated filter

State: 4/15/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3285.700 - Pleated filter for filter and roof-mounted fans, cooling units and chillers

Compared to conventional chopped fiber filters, the high-quality pleated filter technology enables a significant increase in the volume flow and thus an increase in the performance of the unit as well as a reduction in energy consumption. In addition, better filtration properties ensure less dust in the enclosure or unit, and the longer service life means significantly lower service costs.

## Features

Model No.	SK 3285.700
Version	for cooling units
Product description	To achieve a protection category of IP 54 with the Blue e+ roof-mounted cooling unit and the VX25 Blue e+ integrated solution.
Material	Non-woven fabric
Note	Operation without a pleated filter is not permitted.
Suitable for Model No.	3185.030 3185.730
Dimensions	Width: 652 mm Height: 158 mm Depth: 15 mm Width: 25.7 " Height: 6.22 " Depth: 0.59 "
Filter class	to DIN EN 779: G4
Protection category IP to IEC 60529	IP 54 when mounted in the cooling unit
Packaging unit	3 pc(s).
Net weight	0.45 kg
Gross weight	0.5 kg
Customs tariff number	84219990
ETIM 9	EC002513

# Features

---

ETIM 8	EC002513
ECLASS 8.0	27180706
Product description	SK Pleated filter IP54 for roof-mounted cooling unit 3185.730, WHD: 652x158x15 mm

---