Rittal – The System.

Faster - better - everywhere.





SK 3285.700 Pleated filter

State: 8/13/2025 (Source: rittal.com/us-en)



SK 3285.700 - Pleated filter for filter and roof-mounted fans, cooling units and chillers

Compared to conventional chopped fiber filters, the high-quality pleated filter technology enables a significant increase in the volume flow and thus an increase in the performance of the unit as well as a reduction in energy consumption. In addition, better filtration properties ensure less dust in the enclosure or unit, and the longer service life means significantly lower service costs.

Features

Model No.	SK 3285.700	
Version	for cooling units	
Product description	To achieve a protection category of IP 54 with the Blue e+ roof-mounted cooling unit and the VX25 Blue e+ integrated solution.	
Material	Non-woven fabric	
Note	Operation without a pleated filter is not permitted.	
Suitable for Model No.	3185.030 3185.730	
Dimensions	Width: 652 mm Height: 158 mm Depth: 15 mm Width: 25.7 " Height: 6.22 " Depth: 0.59 "	
Filter class	to DIN EN 779: G4	
Protection category IP to IEC 60 529	IP 54 when mounted in the cooling unit	
Packaging unit	3 pc(s).	
Net weight	0.45	
Gross weight	0.5	
Customs tariff number	84219990	
EAN	4028177938939	

© Rittal 2025

Features

ETIM 9	EC002513	
ETIM 8	EC002513	
ECLASS 8.0	27180706	

© Rittal 2025 3