
Rittal – The System.

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

SK 3312.816 Carbon Steel Door

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 8/24/2025 (Source: rittal.com/us-en)



FRIEDHELM LOH GROUP

ENCLOSURES

SK 3312.816 - Carbon Steel Door for wall-mounted cooling unit Blue e+ IT

For mounting the wall-mounted cooling unit. The cutout in the door is laid out so that the wallmounted cooling unit is attached to the middle of the door.

Features

Model No.	SK 3312.816	
Product description	For mounting the wall-mounted cooling unit. The cut-out in the doo is laid out so that the wall-mounted cooling unit is attached to the middle of the door.	
Material	Carbon steel	
Surface finish	Spray-finished	
Color	RAL 7035	
Supply includes	Rear steel sheet door Comfort handle for semi-cylinders with security lock 3524 E Incl. Assembly components (with fasteners, without hinges)	
Suitable for Model No.	3312.810 3186.x3x 3187.x3x 3188.x4x 3189.x4x	
Dimensions	Width: 800 mm Height: 2,000 mm Width: 31.5 ″ Height: 78.7 ″	
Suitable for	Enclosure type: VX IT VX	
Packaging unit	1 pc(s).	
Net weight	19	
Gross weight	21	
EAN	4028177958418	

Features

ETIM 9	EC000747	
ETIM 8	EC000744	
ECLASS 8.0	27182405	