

# Rittal – The System.

Faster – better – everywhere.



## SV 3554.000 Plate Clamp

State: 4/26/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3554.000 - Plate Clamp

For connecting laminated copper bars, no drilling required.

## Features

|   |  |
|---|--|
| Model No.                                       | SV 3554.000  |
| Product description                             | For connecting laminated copper bars, no drilling required.  |
| Material  | Carbon steel   |
| Surface finish                                  | Zinc-plated, passivated  |
| Clamping area for laminated copper bars (W x H) | 34 x 10 mm<br>1.34 x 0.39 "  |
| Suitable for busbars                            | 12 x 5 - 30 x 10   |
| Suitable for busbars                            | Busbar E-Cu  |
| Packaging unit                                  | 3 pc(s).   |
| Net weight                                      | 0.699 kg   |
| Gross weight                                    | 0.8 kg   |
| PCF/VE (cradle-to-gate)                         | 3.1 kg CO2 eq (Cat B)  |
| Information regarding the PCF class             | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number                           | 85369010   |
| ETIM 9  | EC000001   |
| ETIM 8  | EC000001   |
| ECLASS 8.0                                      | 27141146   |
| Product description                             | SV Plate clamp, for laminated copper bar, clamping area WH: 34x10 mm, for busbar WH: 12x5-30x10 mm                   |

## Approvals

# Approvals

---

Explanations

Declaration of conformity

Declaration of conformity UK