

Rittal – The System.

Faster – better – everywhere.



SV 3563.000

Plate Clamp

State: 2/13/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3563.000 - Plate Clamp

For connecting laminated copper bars, no drilling required.

Features

| | |
|---|--|
| Model No. | SV 3563.000 |
| Product description | For connecting laminated copper bars, no drilling required. |
| Material | Carbon steel |
| Surface finish | Zinc-plated, passivated |
| Clamping area for laminated copper bars (W x H) | 54 x 10 mm 2.13 x 0.39 " |
| Suitable for busbars | 60 x 10 |
| Suitable for busbars | Busbar E-Cu |
| Packaging unit | 3 pc(s). |
| Net weight | 1.35 |
| Gross weight | 1.569 |
| PCF/VE (cradle-to-gate) | 6 kg CO ₂ eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 85369010 |
| EAN | 4028177044418 |
| ETIM 9 | EC000001 |
| ETIM 8 | EC000001 |
| ECLASS 8.0 | 27141146 |

Approvals

Approvals

Explanations

Declaration of conformity
Declaration of conformity UK