


Rittal – The System.

Faster – better – everywhere.



AS 4050.005

Smart Lifter

State: 1/10/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4050.005 - Smart Lifter

Lifting and transport device for enclosures and enclosure suites up to 4.80 m in length.



Features

Model No.	AS 4050.005
Product description	Lifting and transport device for enclosures and enclosure suites up to 4.80 m length.
Benefits	<p>Supports simple mounting of base/plinths beneath enclosures</p> <p>Easy transportation of bayed enclosures in the workshop or at the installation site</p> <p>Flexible use for enclosures with different depths due to adjustable forks</p> <p>Ergonomic working (lifting and lowering) with a torque crank</p>
Technical specifications	Dimensions of cart (W x H x D): 750 x 1100 x 400 mm
Function principle	<p>Transport of bayed boxes up to a length of 4.80 m</p> <p>Transportable enclosure depths: 400, 500, 600, 800 mm</p> <p>Lifting of bay cabinets up to a height of 230 mm and a weight of 1,800 kg</p>
Supply includes	2 transport carts
Load	1,800 kg 3,968.3 lb.
Packaging unit	1 pc(s).
Net weight	180
Gross weight	195
Customs tariff number	84279000

Features

EAN	4028177957558
ETIM 9	EC001203
ETIM 8	EC001203
ECLASS 8.0	21079190

Approvals

Explanations	Declaration of conformity
--------------	---------------------------
