

Rittal – The System.

Faster – better – everywhere.



AS 4050.451

Stripping machine S22

State: 4/19/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4050.451 - Stripping machine S22

Semi-automatic machine for stripping wires in various cross-sectional areas

Features

| | |
|--------------------------|---|
| Model No. | AS 4050.451 |
| Version | Touchscreen display Integrated total quantity counter Integrated daily quantity counter Linear adjustment of the wire stripping length |
| Product description | Semi-automatic machine for stripping wires in various cross-sectional areas. |
| Benefits | Easy adjustment of cross section with a rotary knob Easy insertion of wires Easy to operate |
| Technical specifications | Electrically powered Wire stripping range 0.05 - 6 mm ² (AWG 30 - 10) Insulation stripping length 3 - 20 mm (0.12 - 0.79 in.) Stripping length 3 - 20 mm (0.12 - 0.79 in.) Insertion length 22 mm (0.87 in.) |
| Supply includes | Stripping machine S22 Special funnel for inserting thin conductors Replacement blade |
| Dimensions | Width: 190 mm Height: 190 mm Depth: 295 mm Width: 7.48 " Height: 7.48 " Depth: 11.6 " |
| Rated operating voltage | 100 V - 240 V, 1~, 50 Hz/60 Hz |
| Apparent power | 70 VA |
| Cycle time | 0.5 s |
| Packaging unit | 1 pc(s). |

Features

| | |
|-----------------------|---|
| Net weight | 8.5 kg |
| Gross weight | 9.06 kg |
| Customs tariff number | 84798997 |
| ETIM 9 | EC002778 |
| ETIM 8 | EC002778 |
| ECLASS 8.0 | 36629090 |
| Product description | Stripping machine S 22, 0,05-6mm ² |
