Rittal – The System.

Faster – better – everywhere.



# AS 4051.233

# Wire rail WT

State: 11/13/2026 (Source: www.rittal.com/us-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# AS 4051.233 - Wire rail WT

The ready-cabled wires are fed to the WT 30 wire rail with a cross-section of 1.0 mm² by removal handling.





## Features

| | |
|---|---|
| Model No. | AS 4051.233 |
| Benefits | Project-related commissioning for downstream processes<br>Project-related sorting of wires<br>Optimal removal handling<br>Rail system prepared for optimal workplace picking<br>No wire sorting required<br>Simplifies wiring process with step-by-step instructions in Eplan Smart Wiring<br>Optimal in combination with the Wire Cart for perfect workstation commissioning |
| Supply includes | Wire rail WT 30 |
| Note | The gap dimension indicates the maximum diameter of the wire insulation. |
| Suitable for Model No. | 4051.205<br>4051.210<br>4051.024<br>4051.036 |
| Applications | For single wires with cross-section 1.0 mm² (clearance 3.0 mm) |
| Packaging unit | 1 pc(s). |
| Net weight | 0.8 kg |
| Gross weight | 0.84 kg |
| Customs tariff number | 76169990 |

# Features

| | |
|---|---|
| Product description | Wire rail 1.0 mm² for the 15-fold rail system in the WT |