

Rittal – The System.

Faster – better – everywhere.



AS 4051.261 Wire switch

State: 5/14/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.261 - Wire switch for Wire Handling System

The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis.



Features

Model No.	AS 4051.261
Benefits	<ul style="list-style-type: none">Up to 90% time savings providing wireUp to 20% time savings for the wiring process thanks to the Eplan Smart ProductionTool-free hose connection via a couplingAutomatic wire supply to a maximum of 4 wiring workstationsNo wire sorting requiredWire fastening according to just-in-time and just-in-sequence principlesFully automatic wire pickingDirect addressing helps to minimize errors in workstation commissioningReduced storage space, direct material supply at the wiring workstation
Technical specifications	Minimum hose feed length 5 m, maximum 80 m
Support area	<ul style="list-style-type: none">Width: 230 mmHeight: 155 mmDepth: 320 mmWidth: 9.06 "Depth: 12.6 "
Note	<ul style="list-style-type: none">The wire handling system may be retrofitted into any existing machinePlease consult your Rittal specialist advisor for the exact design of the installation routing

Features

Suitable for Model No.	4051.229 4051.260 4051.264 4051.205 4051.210
Customs tariff number	84879090
Product description	The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis.
