

Rittal – The System.

Faster – better – everywhere.



AS 4051.261 Wire switch

State: 7/11/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.261 - Wire switch for Wire Handling System

The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis.



Features

| | |
|--------------------------|--|
| Model No. | AS 4051.261 |
| Benefits | <ul style="list-style-type: none">Up to 90% time savings providing wireUp to 20% time savings for the wiring process thanks to the Eplan Smart ProductionTool-free hose connection via a couplingAutomatic wire supply to a maximum of 4 wiring workstationsNo wire sorting requiredWire fastening according to just-in-time and just-in-sequence principlesFully automatic wire pickingDirect addressing helps to minimize errors in workstation commissioningReduced storage space, direct material supply at the wiring workstation |
| Technical specifications | Minimum hose feed length 5 m, maximum 80 m |
| Support area | <ul style="list-style-type: none">Width: 230 mmHeight: 155 mmDepth: 320 mmWidth: 9.06 "Depth: 12.6 " |
| Note | <ul style="list-style-type: none">The wire handling system may be retrofitted into any existing machinePlease consult your Rittal specialist advisor for the exact design of the installation routing |

Features

| | |
|------------------------|---|
| Suitable for Model No. | 4051.229 4051.260 4051.264 4051.205 4051.210 |
| Customs tariff number | 84879090 |
| Product description | The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis. |
