Rittal – The System.

Faster – better – everywhere.




AS 4051.261

Wire switch

State: 11/4/2026 (Source: www.rittal.com/us-en)

AS 4051.261 - Wire switch for Wire Handling System

The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis.



Features

Model No.	AS 4051.261
Benefits	Up to 90% time savings providing wire Up to 20% time savings for the wiring process thanks to the Eplan Smart Production Tool-free hose connection via a coupling Automatic wire supply to a maximum of 4 wiring workstations No wire sorting required Wire fastening according to just-in-time and just-in-sequence principles Fully automatic wire picking Direct addressing helps to minimize errors in workstation commissioning Reduced storage space, direct material supply at the wiring workstation
Technical specifications	Minimum hose feed length 5 m, maximum 80 m
Support area	Width: 230 mm Height: 155 mm Depth: 320 mm Width: 9.06 ˝ Depth: 12.6 ˝
Note	The wire handling system may be retrofitted into any existing machine Please consult your Rittal specialist advisor for the exact design of the installation routing

© Rittal 2026

Features

Suitable for Model No.	4051.229 4051.260 4051.264 4051.205 4051.210
CRA risk class	Default (Low Risk)
Customs tariff number	84879090
Product description	The wire switch of the Wire Handling System distributes finished wires to up to four wiring workstations on a project-specific basis.

© Rittal 2026