

Rittal – The System.

Faster – better – everywhere.



TS 4599.200 Support Strip

State: 5/14/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS 4599.200 - Support Strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



Features

| | |
|---|--|
| Model No. | TS 4599.200 |
| Product description | For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment. |
| Technical specifications | 4.5 mm diameter hole on a 25 mm hole pattern |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Length | 700 mm 27.6 " |
| Suitable for door width | 760 mm 29.9 " |
| Installation options AX | In door width 760 mm, with cam lock |
| Installation options AX stainless steel | In door width 760 mm, with cam lock, in conjunction with punched door strip |
| Suitable for | Enclosure type: AX Width/depth: 760 mm Enclosure type: AX Width/depth: 29.9 " |
| Packaging unit | 20 pc(s). |

Features

| | |
|-------------------------------------|--|
| Net weight | 7.24 kg |
| Gross weight | 7.28 kg |
| PCF/VE (cradle-to-gate) | 27.7 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ETIM 8 | EC002620 |
| ECLASS 8.0 | 27189261 |
| Product description | TS Support strip, for door width 760 mm |

Approvals

| | |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|