## Rittal – The System.

Faster - better - everywhere.





# TS 4599.200 Support Strip

State: 11/4/2025 (Source: rittal.com/us-en)



### TS 4599.200 - Support Strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.







#### **Features**

TS 4599.200
For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
4.5 mm diameter hole on a 25 mm hole pattern
Carbon steel
Zinc-plated
Assembly components
700 mm 27.6 ″
760 mm 29.9 ″
In door width 760 mm, with cam lock
In door width 760 mm, with cam lock, in conjunction with punched door strip
Enclosure type: AX Suitable for width/depth: 760 mm Enclosure type: AX Suitable for width/depth: 29.9 ″
20 pc(s).

© Rittal 2025

#### **Features**

Net weight	7.24
Gross weight	7.28
PCF/VE (cradle-to-gate)	27.7 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
EAN	4028177939028
E-Number Sweden	E3465249
ETIM 9	EC002620
ETIM 8	EC002620
ECLASS 8.0	27189261

© Rittal 2025 3