

Rittal – The System.

Faster – better – everywhere.



PC 4650.150 PC enclosure system

State: 6/17/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



PC 4650.150 - PC enclosure system Stainless steel

PC enclosure systems based on VX SE made of stainless steel 1.4301, (AISI 304). Identical design principle to carbon steel PC. Convenient rear door allows easy access for service work. High access protection due to molded side panels and roof as well as internal visible door locking and lockable keyboard drawer.



Features

| | |
|-----------------|--|
| Model No. | PC 4650.150 |
| Version | Stainless steel with glazed door at the top, keyboard drawer and component shelf |
| Material | Housing: Stainless steel 1.4301 (AISI 304), 1.5 mm Rear door: Stainless steel 1.4301 (AISI 304), 2.0 mm Base plates: Stainless steel 1.4301 (AISI 304), 1.5 mm Monitor field: Single-pane safety glass, 4 mm |
| Surface finish | Brushed, grain 400 |
| Supply includes | Housing, solid top and sides Rear door with locking rod Glazed door at the top, latched from the inside Component shelf Keyboard drawer with fold-down front door for handrest and mousepad tray Lock insert, lock no. 3524 E Bottom door with locking rod Base plates, divided |

Features

| | |
|-------------------------------------|--|
| Dimensions | Width: 600 mm Height: 1,600 mm Depth: 630 mm Width: 23.6 " Height: 63 " Depth: 24.8 " |
| Protection category IP to IEC 60529 | IP 55 |
| Protection category NEMA | NEMA 12 |
| Base material | Stainless steel 1.4301 (AISI 304) |
| Packaging unit | 1 pc(s). |
| Net weight | 98.5 kg |
| Gross weight | 100.8 kg |
| Customs tariff number | 94032080 |
| ETIM 9 | EC002502 |
| ETIM 8 | EC002502 |
| ECLASS 8.0 | 27180501 |
| Product description | PC PC enclosure system, WHD: 600x1600x630 mm, Stainless Steel, 1.4301, with keyboard drawer |

Approvals

| | |
|--------------|---------------------------|
| Certificates | Surface finish |
| Explanations | Declaration of conformity |
