Rittal – The System.

Faster - better - everywhere.





TS 4694.000 Support Strip

State: 8/10/2025 (Source: rittal.com/us-en)



TS 4694.000 - Support Strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.







Features

| Model No. | TS 4694.000 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product description | For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment. |
| Technical specifications | 4.5 mm diameter hole on a 25 mm hole pattern |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Length | 340 mm 13.4 ″ |
| Installation options VX | In enclosure width/depth 400 mm, on the outer mounting level |
| Installation options VX SE | In enclosure width/depth 400 mm, on the outer mounting level |
| Installation options AX | In door width 400 mm, with cam lock |
| Installation options TS | In enclosure width/depth 400 mm, on the outer mounting level |
| Installation options TP | In TP pedestal and one-piece console pedestal, in enclosure depth 400 mm, in conjunction with rail for interior installation for TP, compact enclosure HD |
| Installation options VX Base | In base/plinth width/depth 400 mm on the base/plinth panels, in conjunction with base/plinth installation bracket |
| | |

© Rittal 2025

Features

| Suitable for | Enclosure type: VX |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| | TS |
| | VX SE |
| | TP |
| | AX |
| | Suitable for width/depth: 400 mm |
| | Enclosure type: VX |
| | TS |
| | VX SE |
| | TP |
| | AX |
| | Suitable for width/depth: 15.7 ″ |
| Suitable for | VX base system |
| Packaging unit | 20 pc(s). |
| Net weight | 3.2 |
| Gross weight | 3.52 |
| PCF/VE (cradle-to-gate) | 13.5 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |
| EAN | 4028177108110 |
| E-Number Sweden | E3465250 |
| ETIM 9 | EC002620 |
| ETIM 8 | EC002620 |
| ECLASS 8.0 | 27189261 |

© Rittal 2025 3